

Material Safety Data Sheet
MSDS No : 081021 CL - Date: 2011/05/26

Distributor: Signs International Distributor Corp.
7956 NW 14th Street - Miami, FL 33126
(305) 715 - 0017



Section 1. Product Identification

Product Name: - Xtreme Colors IJ 1000
Product Type: - Cleaning Flush Solvent

Section 2. Hazards Identification

**GHS- Labelling
Hazard Symbols**



Signal Word

Warning

Hazard Statements



May cause respiratory irritation
May cause severe skin irritation
May cause severe eye irritation
Ingestion may be harmful or fatal

Precautionary Statements

Do not eat, drink or smoke when using this product.
Keep away from flames and hot surfaces.
Use only in a well-ventilated area
Wash hands after handling
Wear protective gloves and eye/face protection
Wear protective gloves/clothing
IF INHALED: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
Call a physician.
IF ON SKIN: Immediately flush skin with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. Call a physician. Wash contaminated clothing before reuse.
IF ON EYE: Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

IF SWALLOWED: Seek medical advice; and attention if stomach continues to be upset.
 Store in a cool, dry place
 Avoid freezing or extended storage in high temperatures
 Avoid exposure to moisture
 Dispose of contents/container in accordance with local regulation

Section 3. Composition/Information on ingredients

Ingredients	CAS-N°	EINECS	Symbol	Percent
Diethylene Glycol Derivative	124-17-4	204-685-9	-	50%
Ethylene Glycol Monobutyl Ether Acetate	112-07-2	203-933-3	 Xn; R20/21  Warning: 3.1.D/4, 3.1.I/4	50%
Surfactant	Trade Secret	-	-	0.01% - 1.0%

Section 4. First Aid Measures

INHALATION	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
SKIN CONTACT	In case of contact, immediately flush skin with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. Call a physician. Wash contaminated clothing before reuse.
EYE CONTACT	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.
INGESTION	If swallowed, Seek medical advice; and attention if stomach continues to be upset.

Section 5. Fire Fighting Measures

Flammability

Flash point: approx. 78 °C

Suitable extinguishing media

Water spray, CO₂, dry chemical or alcohol foam.

Extinguishing media which shall not be used for safety reasons

High volume water jet

Fire Fighting Instructions

Hazardous gases/vapors produced in fire are carbon monoxide, carbon dioxide, oxides of nitrogen. Wear self-contained breathing apparatus (SCBA) and full protective equipment.

Section 6. Accidental Release Measures

Personal Protections: Remove the person of the leeward. Keep away the person from periphery of the place of the leakage. Ventilate sufficiently during clean-up in case of inside of a house.

Environmental Precautions: Do not flush into surface water or sanitary sewer system.

Method for Cleaning up: If a spill occurs, use sponges to wipe-up ink, and then rinse area with damp cloth. Place waste in closed container for disposal. Do not disposal of waste to the sewer. Wash hands with soap and water.

Section 7. Precautions for Safe Handling and Storage

Handling: Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink ink.

Storage: Store in a cool, dry place. Avoid freezing or extended storage in high temperatures. Avoid exposure to moisture.

Specific use(s): No information.

Section 8. Exposure Controls and Personal Protection

Occupational exposure controls:

Components

ACGIH: TWA

Ethylene Glycol Monobutyl Ether Acetate

20 ppm

Engineering Controls

Use only with adequate ventilation.

Personal Protective Equipment

EYE/FACE PROTECTION

Wear safety glasses, or where splash potential exist wear chemical splash goggles.

RESPIRATORS

Where the potential exists for airborne exposure, wear NIOSH approved respiratory protection.

PROTECTIVE CLOTHING

Where there is potential for skin contact, have available and wear as appropriate impervious gloves, apron or smock.

Environmental exposure control

Not established

Section 9. Physical and Chemical Properties of the product

1	Color	Colorless
2	Odor	Mild odor
3	Boiling point/boiling range of ink	approx. 196° C or higher
4	Melting Point/Melting Range	No data available
5	Flash point of ink	Approx. 78 °C
6	Auto-Ignition Temperature	Approx. 280° C or higher
7	Flammability (solid, gas)	Not Applicable
8	Explosive Properties	Lower: 0.88 vol% (Ethylene Glycol Monobutyl Ether Acetate) Higher: 8.54 vol% (Ethylene Glycol Monobutyl Ether Acetate)
9	Vapour Pressure	0.39 hPa (20 °C Ethylene Glycol Monobutyl Ether Acetate)
10	Specific Gravity	0.960 +/- 0.01 (20°C)
11	Solubility in Water	15 g/L (20° C)
12	Water solubility	Soluble
13	Viscosity	2.7 cps
14	pH	Not applicable
15	Oxidizing properties	No data available
16	Vapor Density	Not applicable

The Physical and chemical data given in Section 9 are typical values for this product and are not intended to be product specifications.

Section 10. Stability and Reactivity

Chemical Stability

Stability: Stable at normal temperatures

Conditions to avoid: High and freezing temperatures

Materials to avoid: Oxidizers and explosives

Decomposition: Thermal decomposition may produce carbon dioxide, carbon monoxide.

Section 11. Toxicology and Health Hazards

Routes of Overexposure: Eye, skin, inhalation, and oral ingestion

Acute Health Hazards: Overexposure of the eye surface to ink may be mildly irritating. Overexposure of ink contact with the skin may cause irritation and in some people, swelling and redness. Intentional inhalation to ink vapors may result in respiratory tract irritation. Intentional or accidental oral ingestion may cause an upset stomach.

Chronic Health Hazards: No information available

Mugtagenicity: No information available

Carcinogenicity: This product contains Ni-compound (Yellow pigment). But this Ni-compound is not listed on the IARC carcinogenicity substances lists. Also, this Ni-compound shows the negative result on AMES test.

Toxicity Data:

Diethylene Glycol Monobutyl Ether Acetate:

LD50/LC50: Draize test, rabbit, eye: 500 mg Moderate; Inhalation, rat: LC50 = 72500 mg/m³/4H; Oral, mouse: LD50 = 6600 uL/kg; Oral, rabbit: LD50 = 2260 mg/kg; Oral, rat: LD50 = 6500 mg/kg; Skin, rabbit: LD50 = 14500 mg/kg.

Ethylene Glycol Monobutyl Ether Acetate:

LD50/LC50: Draize test, rabbit, eye: 500 mg/24H Mild; Oral, mouse: LD50 = 3200 mg/kg; Oral, rat: LD50 = 2400 mg/kg; Skin, rabbit: LD50 = 1500 mg/kg.

Inhalation: Not Available

Irritating:

Ethylene Glycol Monobutyl Ether Acetate:

Eye irritating: 500mg/24hrs (Rabbit OECD405) mild irritating.

Skin Irritating: 500mg/24hrs (open@ Rabbit OECD404) mild irritating.

Sensitization: Not available

Mutagenicity: Not available

The information shown in SECTION 3, Hazards identification, is based on toxicity profiles of similar materials or on the components present in this material.

Section 12. Ecological Information

Ecotoxicity: No data available

Mobility: No data available

Persistence and Degradability: No data available

Bioaccumulative Potential: No data available

Result of PBT assessment: Has not carried out PBT assessment

Other Adverse Effects: Disclosure of ink and abandonment has a possibility of affecting environment. Then, cautions are required for handling. It is necessary to cope with it so that especially a product or washing water may not flow to the ground, a river, and a drain.

Section 13. Disposal Considerations

Waste Disposal

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Section 14. Transportation Information

General: Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID

IATA

Proper shipping name: Not applicable

Hazard class: Not applicable

Packaging exceptions: None

Identification number: None

(UN)

Packing group: N/A

Section 15. Regulatory Considerations

US Regulation:

TSCA Section 4(a) Final Test Rules Regulated: Not regulated.

TSCA Section 8(a) Preliminary Assessment Information Rule (PAIR): Not regulated.

TSCA Section 8(a) Inventory Update Rule: All components on TSCA INVENTORY

TSCA Section 8(d) Health and Safety Study Reporting: Not regulated.

TSCA Section 12(b) One-Time Export Notification Regulated: Not regulated.

SARA TITLE III:

Section 313:

Toxic Chemical: De minimis concentration

Ethylene Glycol Monobutyl Ether Acetate 1.0 % N230

Label element according to the Global Harmonized System (GHS).

Pictogram or symbol



Warning

Working of Risk and Safety Phase:

R20/21: Harmful by inhalation and in contact with skin

S24: Avoid contact with skin

Section 16. Other Information

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

This information is based upon technical information believed to be reliable. It is subject to revision as additional knowledge and experience is gained.